


35°



Coltelli reversibili standard

	L mm	W mm	T mm	a mm	° a	HC05	MG06	SMG02	UMG04	HC27	KCR08
	7,5	12,0	1,5		35	75.21.0101 ■	75.21.0301 ■				75.21.3101 ■
	7,65	12,0	1,5		35	765.21.0101 ■					
	8,6	12,0	1,5		35	86.21.0101 ■					
	9,0	12,0	1,5		35	9.21.0101 ■					
	9,6	12,0	1,5		35	96.21.0101 ■	96.21.0301 ■	96.21.2701 ■			96.21.3101 ■
	10,5	12,0	1,5		35	105.21.0101 ■					105.21.3101 ■
	11,0	12,0	1,5		35	11.21.0101 ■					11.21.3101 ■
	11,6	12,0	1,5		35	116.21.0101 ■					
	13,0	12,0	1,5		35	13.21.0101 ■					13.21.3101 ■
	13,6	12,0	1,5		35	136.21.0101 ■					
	14,6	12,0	1,5		35	146.21.0101 ■					
	15,0	12,0	1,5		35	15.21.0101 ■	15.21.0301 ■	15.21.2701 ■			15.21.3101 ■
	15,7	12,0	1,5		35	157.21.0101 ■					
	16,0	12,0	1,5		35	16.21.0101 ■					
	17,0	12,0	1,5		35	17.21.0101 ■					17.21.3101 ■
	18,0	12,0	1,5		35	18.21.0101 ■					
19,0	12,0	1,5		35	19.21.0101 ■						
20,0	12,0	1,5		35	20.21.0101 ■	20.21.0301 ■	20.21.2701 ■	20.21.2501 ■		20.21.3101 ■	
25,0	12,0	1,5		35	25.21.0101 ■	25.21.0301 ■				25.21.3101 ■	

	L mm	W mm	T mm	a mm	° a	HC05	MG06	SMG02	UMG04	HC27	KCR08
	25,0	12,0	1,5	14,0	35	25.22.0101 ■	25.22.0301 ■				25.22.3101 ■
	30,0	12,0	1,5	14,0	35	30.22.0101 ■	30.22.0301 ■	30.22.2701 ■	30.22.2501 ■		30.22.3101 ■
	40,0	12,0	1,5	26,0	35	40.22.0101 ■	40.22.0301 ■	40.22.2701 ■	40.22.2501 ■		40.22.3101 ■
	50,0	12,0	1,5	26,0	35	50.22.0101 ■	50.22.0301 ■	50.22.2701 ■	50.22.2501 ■		50.22.3101 ■
	60,0	12,0	1,5	26,0	35	60.22.0101 ■	60.22.0301 ■	60.22.2701 ■			60.22.3101 ■

	L mm	W mm	T mm	a mm	° a	HC05	MG06	SMG02	UMG04	HC27	KCR08
	80,0	13,0	2,2	60,0	35						80.22.3101 ■
	100,0	13,0	2,2	60,0	35						100.22.3101 ■
	120,0	13,0	2,2	60,0	35						120.22.3101 ■
	130,0	13,0	2,2	60,0	35					130.22.1101 ■	


	L mm	W mm	T mm	a mm	° a	HC05	MG06	SMG02	UMG04	HC27	KCR08
	7,5	9,0	1,5		35	75.9.21.0101 ■					
	12,0	9,0	1,5		35	12.9.21.0101 ■					
	14,6	9,0	1,5		35	146.9.21.0101 ■					
	20,0	9,0	1,5		35	20.9.21.0101 ■	20.9.21.0301 ■				

	L mm	W mm	T mm	a mm	° a	HC05	MG06	SMG02	UMG04	HC27	KCR08
	30,0	9,0	1,5	14,0	35	30.9.22.0101 ■	30.9.22.0301 ■				
	40,0	9,0	1,5	26,0	35	40.9.22.0101 ■					
	50,0	9,0	1,5	26,0	35	50.9.22.0101 ■	50.9.22.0301 ■				

	L mm	W mm	T mm	a mm	° a	HC05	MG06	SMG02	UMG04	MG18	KCR08
	30,0	12,0	2,5	14,0	35	30.14.22.0101 ■				30.14.22.0501 ■	

**35°**

**Coltelli reversibili standard**



	L mm	W mm	T mm	a mm	° a	HC05	MG06	SMG02	UMG04	KCR08	
	links 5°	20,0	12,0	1,5	35	20.21.0102.L	20.21.0302.L	20.21.2702.L	20.21.2502.L	20.21.3102.L	

	L mm	W mm	T mm	a mm	° a	HC05	MG06	SMG02	UMG04	KCR08	
	rechts 5°	20,0	12,0	1,5	35	20.21.0102.R	20.21.0302.R	20.21.2702.R	20.21.2502.R	20.21.3102.R	

	L mm	W mm	T mm	a mm	° a	HC05	MG06	SMG02	UMG04	KCR08
	links 5°	30,0	12,0	1,5	14,0	30.22.0102.L	30.22.0302.L	30.22.2702.L	30.22.2502.L	30.22.3102.L
		40,0	12,0	1,5	26,0	40.22.0102.L	40.22.0302.L	40.22.2702.L	40.22.2502.L	40.22.3102.L
		50,0	12,0	1,5	26,0	50.22.0102.L	50.22.0302.L	50.22.2702.L	50.22.2502.L	50.22.3102.L

	L mm	W mm	T mm	a mm	° a	HC05	MG06	SMG02	UMG04	KCR08
	rechts 5°	30,0	12,0	1,5	14,0	30.22.0102.R	30.22.0302.R	30.22.2702.R	30.22.2502.R	30.22.3102.R
		40,0	12,0	1,5	26,0	40.22.0102.R	40.22.0302.R	40.22.2702.R	40.22.2502.R	40.22.3102.R
		50,0	12,0	1,5	26,0	50.22.0102.R	50.22.0302.R	50.22.2702.R	50.22.2502.R	50.22.3102.R

	L mm	W mm	T mm	a mm	° a	HC05	MG06	SMG02	UMG04	KCR08
	links	30,0	12,0	1,5	14,0	30.42.0102.L	30.42.0302.L			30.42.3102.L
		50,0	12,0	1,5	26,0	50.42.0102.L	50.42.0302.L			50.42.3102.L

	L mm	W mm	T mm	a mm	° a	HC05	MG06	SMG02	UMG04	KCR08
	rechts	30,0	12,0	1,5	14,0	30.42.0102.R	30.42.0302.R			30.42.3102.R
		50,0	12,0	1,5	26,0	50.42.0102.R	50.42.0302.R			50.42.3102.R


	L mm	W mm	T mm	a mm	° a	HC20	MG06	SMG02	UMG04	KCR08
	20,0	14,3	2,5	35		20.143.21.0902		20.143.21.2702		

	L mm	W mm	T mm	a mm	° a	HC05	MG06	SMG02	UMG04	KCR08
	30,0	12,0	1,5	16,0	35	30.22.0102				

■ standard a magazzino

■ deposito limitato o a richiesta

## 35°



### Coltelli reversibili standard

	L mm	W mm	T mm	d mm	° a	HC05	MG06	SMG02	UMG04	KCR08
	44,5	15,0	1,5	25,0	35	445.22.0102 ■				

	L mm	W mm	T mm	d mm	° a	HC05	MG06	SMG02	UMG04	KCR08
	19,5	12,0	1,5		35	195.41.0103.L ■	195.41.0303.L ■			195.41.3103.L ■

	L mm	W mm	T mm	d mm	° a	HC05	MG06	SMG02	UMG04	KCR08
	19,5	12,0	1,5		35	195.41.0103.R ■	195.41.0303.R ■			195.41.3103.R ■


	L mm	W mm	T mm	d mm	° a	HC20	MG06	SMG02	UMG04	KCR08
	15,0	14,3	1,5	6,3	35	15.21.0903.L ■				

	L mm	W mm	T mm	d mm	° a	HC20	MG06	SMG02	UMG04	KCR08
	15,0	14,3	1,5	6,3	35	15.21.0903.R ■				

■ standard amagazzino

■ deposito limitato o a richiesta

## Coltelli reversibili standard



	L mm	W mm	T mm	d mm	° a	HC35	HC05	HC20	MG18	MG06	SMG02	KCR08			
	10,5	10,5	1,5	4,00	35				105.41.0503	■		105.41.3103			
	13,0	13,0	2,5	6,10	30			13.41.0903	■						
	13,4	13,4	1,5	6,35	30	134.41.1303	■								
	13,6	13,6	2,0	6,40	45	136.41.1303	■								
	14,0	14,0	1,2	8,50	30	14.12.41.1303	■								
	14,0	14,0	1,7	8,50	22	14.17.41.1303	■								
	14,0	14,0	1,7	8,50	30	14.18.41.1303	■								
	14,0	14,0	2,0	6,40	30	14.19.41.1303	■	14.19.41.0103	■		14.19.41.0303	■	14.19.41.2703	■	14.19.41.3103

	L mm	W mm	T mm	d mm	° a	HC35	HC05	HC20	MG18	MG06	SMG02	KCR08			
	10,5	10,5	1,5	4,0	35		105.41.0103	■				105.1.41.3103			
	12,0	12,0	1,5	4,0	35		12.41.0103	■		12.41.0303	■	12.41.2703	■	12.41.3103	■
	15,0	15,0	2,0	4,0	35							15.41.3103	■		
	17,0	17,0	2,0	3,0	35		17.3.41.0103	■							
	17,0	17,0	2,0	4,0	35		17.4.41.0103	■					17.4.41.3103	■	
	19,0	19,0	2,0	4,0	35		19.41.0103	■					19.41.3103	■	

	L mm	W mm	T mm	d mm	° a	HC35	HE40 lucidato	HC20	MG18	MG18 lucidato	SMG02	MG06	
	14,0	14,0	2,0	6,4	30		14.41.2103	■	14.41.0503	■	14.41.1903	■	
	14,0	14,0	2,0	5,5	30	14.41.1303	■						
	14,3	14,3	2,5	6,3	35			143.41.0903	■			143.41.0303	■
	14,6	14,6	2,5	6,4	30			146.41.0903	■	146.41.0503	■		
	15,0	14,3	2,5	6,3	50			15.1.41.0903	■				
	15,0	15,0	2,5	6,4	30				15.41.0503	■			



	L mm	W mm	T mm	d mm	° a	HC35	HC05	HC20	MG18	MG06	SMG02	KCR08
	14,0	14,0	2,00	8,6				14.20.41.0903	■			
	14,0	14,0	2,50	8,3				14.25.41.0903	■			
	14,0	14,0	3,00	8,3				14.30.41.0903	■			
	18,0	18,0	1,95	10,4				18.20.41.0903	■			
	18,0	18,0	2,45	10,4				18.25.41.0903	■			
	18,0	18,0	2,95	10,4				18.30.41.0903	■			
	18,0	18,0	3,70	10,4				18.35.41.0903	■			
	18,0	18,0	4,00	10,4				18.40.41.0903	■			

	L mm	W mm	T mm	d mm	° a	HC35	HC05	HC20	MG18	MG06	SMG02	KCR08
	22,0	19,0	2,0	6,5	30				22.31.0503	■		
	22,86	19,86	2,5	6,5	30			2286.31.0903	■			

	L mm	W mm	T mm	d mm	° a	HC35	HC05	HC20	MG18	MG06	SMG02	KCR08
	oben recht											
	22,0	19,0	2,0	6,5	30				22.31.02.0503.0	■		
	unter links											
	22,0	19,0	2,0	6,5	30				22.31.02.0503.U	■		

	L mm	W mm	T mm	d mm	° a	HC35	HC05	HC20	MG18	MG06	SMG02	KCR08
	14,0	14,0	2,0	6,5	30		14.14.41.0103	■				
	16,0	16,0	3,0	6,5	32		16.16.41.0103	■				

## Coltelli reversibili standard




	L mm	W mm	T mm	d mm	° a	HC35	HC05	MG18	SMG02	KCR08
	14,0	14,0	2,0	6,4	30	14.14.2.41.1303 ■				
	14,6	14,6	2,5	6,4	30			146.1.41.0503 ■		
	14,3	14,3	2,5	6,3	35			143.1.41.0903 ■		
	14,3	14,3	2,5	6,3	35			143.2.41.0903 ■		
	14,0	14,0	1,2	8,5	30	14.14.12.1303 ■				
	21,0	21,0	5,5	7,4	40			21.21.41.0503 ■		
	14,0	14,0	2,0	6,4	30	14.14.20.41.1303 ■				
	14,6	14,6	2,5	6,4	30			146.2.41.0503 ■		
	15,0	15,0	2,5	6,4	30			15.2.41.0503 ■		
	15,0	15,0	2,5	6,4	30			15.3.41.0503 ■		
	14,0	14,0	2,0	6,4	30	14.14.1.41.1303 ■		14.14.41.0503 ■	14.14.41.0703 ■	
	14,6	14,6	2,5	6,4	30			146.3.41.0503 ■		
	15,0	15,0	2,5	6,4	30		15.41.0103 ■	15.4.41.0503 ■		15.1.41.3103 ■
	15,0	15,0	2,5	6,4	30			15.5.41.0503 ■		
	15,0	15,0	2,5	6,4	30		15.1.41.0103 ■	15.6.41.0503 ■		15.2.41.3103 ■

■ standard amagazzino

■ deposito limitato o a richiesta


## Coltelli reversibili standard

## 4 taglienti



	L mm	W mm	T mm	a mm	° a	HC05	MG06	SMG02	UMG04	KCR08
	9,0	12,0	1,5		35	9.41.0104 ■				
	10,0	12,0	1,5		35	10.12.41.0104 ■				
	19,5	7,0	1,5		35	195.7.41.0104 ■				
	19,5	7,5	1,5		35	195.75.41.0104 ■				
	19,5	8,0	1,5		35	195.8.41.0104 ■	195.8.41.0304 ■			
	19,5	9,0	1,5		35	195.9.41.0104 ■	195.9.41.0304 ■			
	19,5	10,0	1,5		35	195.10.41.0104 ■	195.10.41.0304 ■			
	19,5	11,0	1,5		35	195.11.41.0104 ■				
	19,5	12,0	1,5		35	195.12.41.0104 ■	195.12.41.0304 ■	195.12.41.2704 ■	195.12.41.2504 ■	195.12.41.3104 ■
	29,5	7,0	1,5	14,0	35	295.7.42.0104 ■				
	29,5	7,5	1,5	14,0	35	295.75.42.0104 ■				
	29,5	8,0	1,5	14,0	35	295.8.42.0104 ■	295.8.42.0304 ■			
	29,5	9,0	1,5	14,0	35	295.9.42.0104 ■	295.9.42.0304 ■			295.9.42.3104 ■
	29,5	10,0	1,5	14,0	35	295.10.42.0104 ■	295.10.42.0304 ■			
	29,5	11,0	1,5	14,0	35	295.11.42.0104 ■				
	29,5	12,0	1,5	14,0	35	295.12.42.0104 ■	295.12.42.0304 ■	295.12.42.2704 ■	295.12.42.2504 ■	295.12.42.3104 ■
	39,5	9,0	1,5	26,0	35	395.9.42.0104 ■				395.9.42.3104 ■
	39,5	12,0	1,5	26,0	35	395.12.42.0104 ■	395.12.42.0304 ■	395.12.42.2704 ■		395.12.42.3104 ■
	49,5	8,0	1,5	26,0	35	495.8.42.0104 ■	495.8.42.0304 ■			
	49,5	9,0	1,5	26,0	35	495.9.42.0104 ■	495.9.42.0304 ■			495.9.42.3104 ■
	49,5	10,0	1,5	26,0	35	495.10.42.0104 ■	495.10.42.0304 ■			495.10.42.3104 ■
	49,5	11,0	1,5	26,0	35	495.11.42.0104 ■	495.11.42.0304 ■			
	49,5	12,0	1,5	26,0	35	495.12.42.0104 ■	495.12.42.0304 ■	495.12.42.2704 ■	495.12.42.2504 ■	495.12.42.3104 ■
	59,5	12,0	1,5	26,0	35	595.12.42.0104 ■	595.12.42.0304 ■	595.12.42.2704 ■		595.12.42.3104 ■
		50,0	9,0	1,5	37,0	35	5.9.43.0104 ■			
50,0		12,0	1,7	37,0	35	50.12.43.0104 ■	50.12.43.0304 ■	50.12.43.2704 ■		50.12.43.3104 ■
	16,0	7,0	1,5	7,0	35		16.32.0304 ■			
	23,0	7,0	1,5	14,0	35		23.32.0304 ■			
	28,0	7,0	1,5	14,0	35		28.32.0304 ■			
	16,0	7,0	1,5	7,0	35		H.167.3 ■			
	23,0	7,0	1,5	14,0	35		H.237.3 ■			
	16,0	7,0	1,5	7,0	35		H.167.4 ■			
	23,0	7,0	1,5	14,0	35		H.237.4 ■			
	23,0	7,0	1,5	14,0	35		H.287.4 ■			

45°



Coltelli reversibili standard

	L mm	W mm	T mm	a mm	° a	MG18	HE40 lucidato	MG18 lucidato	
	7,5	12,0	1,5		45	75.21.0505 ■		75.21.1905 ■	
	9,6	12,0	1,5		45	96.21.0505 ■	96.21.2105 ■	96.21.1905 ■	
	11,6	12,0	1,5		45	116.21.0505 ■			
	15,0	12,0	1,5		45	15.21.0505 ■	15.21.2105 ■	15.21.1905 ■	
	20,0	12,0	1,5		45	20.21.0505 ■	20.21.2105 ■	20.21.1905 ■	
	24,7	12,0	1,5		45	25.21.0505 ■			
	24,7	12,0	1,5	14,0	45	25.22.0505 ■			
	30,0	12,0	1,5	14,0	45	30.22.0505 ■	30.22.2105 ■	30.22.1905 ■	
	40,0	12,0	1,5	26,0	45	40.22.0505 ■	40.22.2105 ■	40.22.1905 ■	
	50,0	12,0	1,5	26,0	45	50.22.0505 ■	50.22.2105 ■	50.22.1905 ■	
	60,0	12,0	1,5	26,0	45	60.22.0505 ■	60.22.2105 ■	60.22.1905 ■	
	80,0	13,0	2,2	60,0	45	80.22.0505 ■	80.22.2105 ■	80.22.1905 ■	
	12,0	12,0	1,5		45	12.41.0505 ■	12.41.2105 ■	12.41.1905 ■	
	14,0	14,0	2,0		45	14.41.0505 ■	14.41.2105 ■		
	45,0	12,0	1,5	26,0	45	45.42.0505 ■			

■ standard a magazzino

■ deposito limitato o a richiesta